Rapid7 InsightVM Integration

Asset Manager provides the capability to ingest and push data about your network devices to and from Rapid7 via API.

How It Works

Asset Manager creates an asset group on the Rapid7 server that is either zone specific or global, depending on user's configuration. An Asset Manager zone called "ZoneName," for example, will create an asset group in Rapid7 called "Lumeta ZoneName."

Asset Manager pushes IP addresses to Rapid7and it then populates asset groups within its environment.

				Туре	All	~
Name	Туре	Tagged Assets 🔨	Source			
High	Criticality	0	Built-in			
Low	Criticality	0	Built-in			
Lumeta Discovered	Custom	0	CUSTOM			
Medium	Criticality	0	Built-in			
Very High	Criticality	0	Built-in			
Very Low	Criticality	0	Built-in			

Configuring the Rapid Feed in Asset Manager

To configure the Rapid7 integration:

- 1. On Asset Manager's main menu, browse to Settings > Integrations > Rapid7.
- 2. Enable the feed by clicking the Off slider.
- Input a Polling Interval to indicate the time that should elapse between fetching the latest feed data.
 Input the IP address or system name of your Rapid7 server.
- 5. Input your Rapid7 credentials.

6. To connect on specific port, input the desired port number in Security Console Port. Otherwise, leave the default port, 3780.





Polling Interval (by Hour)



Server Name

172.16.42.18

Username

nexpose

Password

.....

Asset mapping by zone

Lumeta Zones	Enabled
3_Collectors	
IPsonar Mapping	
Isolated_Collectors	×
LumetaAll	
Pyramid	
Zone1	

Submit

Product configured properly.

Polling Interval (by Hour)		
24		
Server Name		
A server name is required		
Username		
Password		
Leave blank to use the previously-en	ntered password	
Security Console Port		
3780		
Please enter server credentials to enab	le zone mapping	

- ne checkbox, and in addition ones you want to push. A site named for each selected zone will be created in Rapid7.
- c. Push none If you don't want to push any data to Rapid7, check Asset Mapping by Zone and clear all the zone checkboxes.

Click Submit. The configuration is saved. Devices ingested from Rapid7 are stored in the "rapid7_managed_hosts" table.

Specifying a Port in Rapid7

To set a port in Rapid7, change the web server port on the Security Console Configuration page.

	Securi	ty Console Conf	figuration				
Ţ							
举	GENERAL		The Security Console contains an embedded web server. The following web server settings can be configured.				
\oslash	UPDATES		WEB SERVER SETTINGS	443		ר	
	WEB SER	VER	Session timeout (seconds)	600			
ጜ	PROXY SI	ETTINGS	Initial request handler threads	10			
₽.	AUTHENT	TICATION	Maximum request handler threads	100			
&	DATABAS	Ε	Failed login threshold	4			
	SCAN EN	GINES	HTTPS certificate	Issued to	Rapid7 Secur	ity Console	
	LICENSING			Valid until	Sun Jan 09 1	5:56:41 UTC 2028	
୍ଦ -	INSIGHT	PLATFORM		MANAGE	CERTIFICATE		